

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2188	257/666.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	579	257/675.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1579	257/712.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1015	257/713.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	1609	257/784.ccls.	US-PGPUB; USPAT; USOCR
6	BRS	L6	1045	257/691.ccls.	US-PGPUB; USPAT; USOCR
7	BRS	L7	1381	257/692.ccls.	US-PGPUB; USPAT; USOCR
8	BRS	L8	1207	257/698.ccls.	US-PGPUB; USPAT; USOCR
9	BRS	L9	1277	438/123.ccls.	US-PGPUB; USPAT; USOCR
10	BRS	L10	413	438/617.ccls.	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	190	L1 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support)	US-PGPUB; USPAT; USOCR
12	BRS	L16	87	L4 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
13	BRS	L17	173	L5 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
14	BRS	L18	201	L6 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
15	BRS	L19	160	L7 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
16	BRS	L20	199	L8 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
17	BRS	L22	35	L10 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
18	BRS	L15	73	L2 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
19	BRS	L14	73	L12 and wire	US-PGPUB; USPAT; USOCR
20	BRS	L12	82	L2 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support)	US-PGPUB; USPAT; USOCR
21	BRS	L13	176	L11 and wire	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
22	BRS	L21	105	L9 and (dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire	US-PGPUB; USPAT; USOCR
23	BRS	L23	1756	257/666.ccls.	EPO; JPO; DERWENT; IBM_TDB
24	BRS	L24	251	257/675.ccls.	EPO; JPO; DERWENT; IBM_TDB
25	BRS	L25	955	257/712.ccls.	EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	261	257/713.ccls.	EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	453	257/784.ccls.	EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	351	((dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support)).clm.	US-PGPUB
29	BRS	L29	1695	(dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire.clm.	US-PGPUB

	Type	L #	Hits	Search Text	DBs
30	BRS	L30	57	((dielectric or insulat\$3) and (ground or dummy) and (aperture or hole) and (pad or support) and wire).clm.	US-PGPUB